INSTRUMENTS AND EXPERIMENTAL TECHNIQUES

Numbers 1-6, 1970

(A translation of Pribory i Tekhnika Éksperimenta)

Number 1 January-February, 1970

	Engl./Russ.	
Measuring Devices for Processing Photographs of Bubble Chambers (Review) —V. P. Mikheev and B. S. Rozov	1	7
NUCLEAR EXPERIMENTAL TECHNIQUES		
Quasistochastic Instability of the Vibrations of Particles in Annular Accelerators and Storage Rings—P. R. Zenkevich	18	25
Instability of the Motion of Particles in a Synchrotron for High Frequencies of the Accelerating Field—S. A. Kheifets and Yu. F. Orlov	24	29
Measuring the Constancy of the Maximum Energy in the Bremsstrahlung Spectrum of a Synchrotron—B. S. Ratner	28	32
Study of Rapid Fluctuations of Intensity in the Gamma Radiation of a Betatron —B. S. Ishkhanov, I. M. Kapitonov, I. M. Piskarev, and V. V. Ékivin	31	34
High-Frequency Operating Conditions in Linear Induction Accelerators—V. K. Grishin	33	35
Increasing the Power of a Linear Electron Accelerator—N. N. Flerov, V. P. Lipatov, and E. I. Konyashev	36	37
High-Frequency Separator of Particles Operating on an EH_{12} Wave—V. N. Aver'yanov, A. A. Glazkov, and N. P. Sobenin	38	38
Calculation of the Momentum Vector in a Magnetic Track Spectrometer —E. K. Tarasov and V. V. Kishkurno	42	42
Semiconductor Gamma Spectrometer—S. A. Negrei and E. I. Firsov	45	44
Some Characteristics and Capabilities of a Discharge-Condensation Chamber —Z. Sh. Mandzhavidze, V. N. Roinishvili, and A. K. Dzhavrishvili	48	46
Wire Spark Chamber System with Magnetostrictive Information Retrieval—V. S. Bekrenev, V. A. Gordeev, S. P. Kruglov, and A. I. Shchetkovskii	53	52
Shower Spark Chambers for Detecting Particles Moving at Small Angles with Respect to the Beam Being Stopped—V. I. Kryshkin, N. A. Rybakova, A. G. Sterligov, and Yu. P. Usov	56	54
Efficiency of a Spark Chamber at the Lower Limit of Ionization—V. G. Sborshchikov and S. F. Mikheev	60	58
Use of the Maximum-Probability Method to Determine the Kinematic Parameters of Tracks—G. A. Ososkov and P. V. Shlyapnikov	63	60
Distribution of the Random Displacement of Track Points Due to Coulomb Multiple Scattering—B. A. Manyukov and P. V. Shlyapnikov	65	61
Portable Internally Loaded Counter for Measuring Low Levels of Gas Activity—A. I. Beskorskii, L. S. Elakov, E. Ya. Goikhberg, and I. Ya. Borisov	68	64
Miniature End Window Counter for Soft Beta-Radiation—A. I. Beskorskii, E. V. Pervyshev, V. L. Malduev, and N. A. Chechetina	70	66
Attenuation of Beta-Particle Fluxes in Absorbers when Measuring Activities with 2π-Geometry—V. V. Chugunov	72	67
Use of Tritium Targets for Beta-Irradiation Experiments—G. B. Radzievskii	75	70

Sensitivity of Spherical Neutron Detectors in the Energy Range from Thermal to 10 MeV —L. S. Andreeva, I. B. Keirim-Markus, L. N. Uspenskii, I. V. Filyushkin, and E. N. Chernov 77 72
Counting Characteristics of Semiconductor Detectors—N. S. Pronkin 81 75
Recording of 10-100 keV Electrons with Surface-Barrier Silicon Counters —B. P. Maksimenko 85 78
Efficiency Separation of Neutrons and Gamma Rays with a Stilbene Crystal —A. A. Omel'yanenko 87 80
Mechanical Quenching of the Light of Liquid Scintillators—I. I. Zemskova, L. Ya. Zhil'tsova, E. N. Matveeva, and V. G. Tyminskii 90 83
Liquid Scintillators for Large Scintillator Detectors—A. V. Voevodskii, V. L. Dadykin, and O. G. Ryazhskaya 92 85
Effect of Natural Lighting on Plastic Scintillators—I. G. Golutvina, L. Ya. Zhil'tsova, E. N. Matveeva, M. N. Medvedev, O. G. Rubina, and I. M. Stoletova 95 88
Properties of $Li^6I(Eu)$ Crystals at Low Temperatures—T. F. Pavlovskaya, E. O. Lyalin, and Yu. A. Borob'ev 97 90

ELECTRONICS AND RADIO ENGINEERING
Communication System between a Scintillation Hodoscope and Minsk-22 Computer —A. E. Belotsvetov, L. V. Belyaevskii, A. A. Derevshchikov, V. D. Zhil'chenkov, Yu. A. Matulenko, Yu. V. Mikhailov, S. B. Nurushev, E. V. Smirnov, and V. L. Solov'yanov 99 92
Parallel-To-Serial and Serial-To-Parallel Code Converter—V. D. Dvornikov, E. I. Kislov, S. T. Latushkin, and L. I. Yudin 101 94
Buffer Memory Based on Magnetostrictive Delay Lines—V. V. Golushko, A. M. Shimanskii, and I. V. Shtranikh 104 97
Decade Counter with Operative Storage of Measurement Results—L. S. Gorn and B. I. Khazanov 107 100
Digital Count-Rate Meter—L. S. Gorn, I. D. Ivanov, and B. I. Khazanov 110 103
Low Count-Rate Meter for an Automatic Recording Galvanometer—A. I. Loksh 113 105
Coding of Multiple Coincidences with the Aid of an Adding Mixer—V. I. Kryshkin 115 107
High-Speed Decade Counter with Indicator Output—V. M. Lachinov 117 108
Improvement of Characteristics of a Double-Diode Restorer of Base Level—V. B. Ivanov and N. N. Reshetov 120 110
Electronic Apparatus for Rapidly Identifying Charged Particles—G. P. Dolya and A. I. Tutubalin 123 112
Cosmic-Ray Mu-Meson Intensity Meter—G. S. Dragun 127 116
High-Voltage Pulse Source for the Deflector Plates in an Ion Cluster Input System to the Synchrotron Chamber—L. Z. Barabash, A. S. Grachev, O. I. Kryzhanovskii, and P. I. Lebedev 130 119
High-Voltage Pulse Generator—L. Z. Barabash, O. I. Kryzhanovskii, and P. I. Lebedev 133 121
Pulse Generator for Stabilizing a Spectrometer Circuit—V. V. Marchenkov and A. P. Nekhai 135 123
Highly Stable Pulse-Train Generator—B. S. Ishkhanov, I. M. Kapitonov, and I. M. Piskarev 137 125
Thyristor Pulse Circuit for Controlling the Explosion of a Thin Wire—Ya. S. Brovman and P. I. Slezinger 139 126
Current Generator for Studying Superconductivity by an Impulse Method —V. M. Frantsevich, O. I. Klyushnikov, and E. P. Romanov 141 127
Pulse Shaper for Long Periods—Yu. G. Budyashov and V. G. Zinov 143 129
Formation of Single Time Intervals of Long Duration—A. N. Kozyr'kov and V. S. Romanov 145 130
Fast Current Preamplifier for Operation in an Electronic Neutron Collimation System —E. A. Andreev, S. P. Sit'ko, and V. A. Shevchenko 147 132

Selective Transistor RC-Amplifier for Infrasonic Frequencies—V. V. Maslennikov	149	134
Electrometric Amplifier—V. B. Vershevskii, M. V. Zherdin, M. A. Pushkina, and M. E. Slutskii	151	135
Analyzer for the Spectra of the Amplitudes and Phases of Cyclically Repeating Processes—V. G. Kriksunov and A. S. Tetel'baum	153	137
Phase-Metering Attachment for a Digital Frequency Meter—S. S. Kuznetskii, M. K. Chmykh, S. P. Pan'ko, and V. P. Ryazantsev	156	139
Measurement of the Instantaneous Phase Stability of a Harmonic Frequency Generator—A. F. Dunaitsev, Yu. D. Prokoshkin, and Yu. N. Simonov	160	142
Measurement of Pulse Amplitude Ratios—K. Sh. Egiyan, G. L. Bochek, K. V. Alanakyan, M. L. Sitenko, and V. I. Kulibaba	163	144
Indicator for the Sign of a Weak Signal—É. S. Burunsuzyan and O. V. Leonov	166	147
NQR Pulse Relaxometer for the 2-70 MHz Range—B. N. Pavlov, A. N. Klebanov, and I. S. Bondarenko	169	150
Stable Wideband Autooscillator—V. A. Grechishkin, N. P. Zorin, A. S. Komolov, L. A. Ushakov, and Yu. D. Kharizman	172	152
Measurement of Long Nuclear Spin-Lattice Relaxation Times—F. L. Aukhadeev and V. D. Korepanov	175	155
Digital Frequency Synthesizer for a Nuclear Magnetometer—O. I. Gubernatorov, A. G. Gordienko, V. T. Pivovar, and R. M. Pivovar	177	156
Frequency Stabilization of Submillimeter Generators by a Quartz-Crystal Reference Signal—A. F. Krupnov and L. I. Gershtein	180	159
Resistors with Low "Noise Temperature"—V. A. Markin	182	160
Sequence Photography of A Television Image—I. V. Krinskii and É. N. Shumilov	184	162
Pulsed Supply of Photomultipliers—I. V. Sanin, N. G. Ivchenko, G. N. Markov, and S. V. Samylov	185	163
Solid-State Construction of Converter Controller—A. A. Smirnov, A. Z. Doroshenko, D. P. Kalmykov, and L. N. Belyaev	188	165
GENERAL EXPERIMENTAL TECHNIQUES		
Ionization Gauge for Measuring Molecular Flux Densities in OGRA-II—V. F. Zubarev	191	168
Formation of Molecular Beams of Hydrogen and Oxygen in Multichannel Systems—N. A. Meshcheryakov	194	170
Investigation of Photomultiplier Noise with Input Signals of 10^{-6}-10^{-4} lm—T. N. Tager and L. V. Smirnova	197	173
One-Electron Characteristics of FÉU-64 Photomultipliers—A. N. Pertsev, I. V. Reznikov, and M. P. Mikhalevich	200	175
Statistics of the Knocking-Out of Photoelectrons—S. V. Donskov, V. I. Rykalin, and R. S. Shuvalov	202	177
Differentiating Fabry—Perot Interferometer—V. G. Koloshinikov, V. I. Lapshin, and F. Ya. Ragimov	205	179
High-Speed Measurement of Spectral Line Widths and Shifts with the Fabry—Perot Interferometer—G. G. Dolgov-Savel'ev and V. I. Sekerin	209	182
Correction System for the Zero Reference during the Recording of Differential Spectra—S. I. Aksenov, V. N. Verkhoturov, and Yu. N. Kozhukhar'	211	184
Calibration of Ballistic Impulse Photometers—K. S. Vulf'son, I. M. Gurevich, and F. A. Charnaya	213	186
Submillimeter Wave Laser—S. F. Dyubko, V. A. Svich, B. I. Polevoi, and R. A. Valitov	215	187
Gas Laser Automatic Frequency Stabilization System—V. M. Kuznetsov	218	189
Scanning Interferometer with Spherical Mirrors for the Study of Spectra of He+Ne Lasers—A. K. Toropov and Yu. V. Troitskii	221	192
Amplifier of Single-Frequency Laser Radiation—V. A. Nikashchin, G. I. Rukman, V. K. Sakharov, and V. K. Tarasov	223	194
Device for Transmitting Analog Signals—V. K. Arkhipov, M. V. Gaifullin, Yu. N. Kruglov, and V. G. Shatokhin	225	195

	Engl.	Russ.
Holographic Identification of Similar Images—G. I. Kosourov and O. V. Kachalov	228	197
New Technique of Holographic "Ghost Image" Production—G. I. Kosourov and I. N. Kalinkina	230	199
70-kOe Pulse Magnet—V. K. Makar'in	232	201
Suspended Electromagnet for a Neutron Diffractometer—V. S. Golovkin, V. N. Bykov, Yu. P. Basov, and V. A. Levdik	235	203
Partially Stabilized Superconducting Solenoid with Optimized Power Supply—I. N. Goncharov and F. Khovanets	238	205
Circular Galvanomagnetic Transducer—I. P. Anan'ev	242	208
ÉMV-100L Electron Microscope—P. A. Stoyanov, V. V. Moseev, K. M. Rozorenova, and I. S. Renskii	245	211
Highly Localized X-Ray Microanalyzer—B. N. Vasichev, E. N. Vereshchagin, G. V. Der-Shvarts, V. N. Kaplichnyi, G. D. Kisel', G. G. Larichev, V. P. Rachkov, Yu. I. Rogachev, and V. K. Shirobok	251	217
X-Ray Camera for Investigating the Strain of Filamentary Crystals—L. G. Eliseenko, S. B. Lebedinskaya, and D. E. Linkova	255	220
Apparatus for Measuring the Lifetime of Minority Carriers in Semiconductors—A. N. Vlasov, A. N. Kabanov, L. N. Kurbatov, I. Yu. Petrova, N. V. Soroko-Novitskii, and E. E. Chernova-Stolyarova	257	222
Ohmic Contacts to Gallium Arsenide Single Crystals—A. V. Sandulova, S. S. Varshava, and K. S. Shcherbai	260	224
High-Vacuum Preparation of Ohmic Contacts to GaAs—V. P. Belevskii, V. N. Ivanov, and V. M. Yashnik	262	225
Alloyed Ohmic Contact to ZnSe—K. K. Dubenskii, A. V. Rumyantseva, and Yu. S. Ryzhkin	264	227
Determining the Capillary Constant of a Liquid from the Meniscus—D. V. Khantadze, Z. A. Chanturiya, É. G. Onikashvili, and T. G. Tsertsvadze	266	228
Cryostat for a Neutron Scintillation Spectrometer—N. I. Adamovich, V. I. Zuev, and T. F. Pavlovskaya	268	230
Device for the Rotation of a Specimen in a Cryostat—N. T. Bendik, L. S. Milevskii, and G. D. Shnyrev	271	232
Flexible Liquid-Helium Transfer Tube—A. B. Fradkov and V. B. Ginodman	273	233
Point Superconducting Contact with Properties of a Josephson Transition—S. I. Bondarenko, E. I. Balanov L. E. Kolin'ko and T. P. Narbut	275	235
Preparation of Closely Spaced Contacts on Film Circuits—R. A. Chentsov	277	237
Thickness Control of Layers Obtained by Cathodic Sputtering by Means of a Flash Lamp—E. A. Nesmelov and L. S. Zavada	278	238
Preparation of V^{50} Foil—L. I. Kovalenko, A. A. Rozen, and L. N. Reshetova	280	239
Chemical Descaling of Ferrochrome Parts—S. V. Petrov	281	240
ABSTRACTS		
Stabilization of a Discharge Current in the Ion Source of a Cyclotron—D. S. Andreev, A. B. Girshin, Yu. L. Krasavin, and B. V. Neverov	282	241
Static Stability of a Beam of Charged Particles in a High-Voltage Accelerating Tube—V. P. Yakushev and A. N. Serbinov	283	241
Electron Source Based on Plasmatron with Penning Tube—Yu. E. Kreindel' and V. A. Nikitinskii	285	242
Track Identification on Photographs from the "Mirabel" Liquid-Hydrogen Bubble Chamber—V. E. Kul'beda	287	243
Firing of a High-Voltage Arkad'ev-Marks Generator by a Laser Beam and Investigations of the Generator's Characteristics—M. I. Daion, S. D. Kaitmazov, B. N. Lomonosov, A. A. Medvedev, and A. M. Tolmachev	288	244
Relation between the Diameter of a Fission Fragment Track and Specific Energy Losses on the Surface of Glass—A. V. Gromov and V. A. Nikolaev	290	245

Automatic Scanning Device for Processing Photographs from Track Chambers —V. Ya. Almazov, Yu. G. Voitenko, V. V. Ermolaev, V. D. Inkin, Yu. A. Karzhavin, V. M. Kotov, V. K. Lyapustin, M. G. Meshcheryakov, A. E. Selivanov, O. Hi En, I. I. Skryl', Yu. I. Susov, and V. I. Ustinov 292 246
Characteristics of Plastic and Liquid Scintillation Detectors under Various Conditions of Surface Reflection—Yu. A. Tsirlin, T. I. Sokolovskaya, and B. I. Kerner 294 246
Synchronizing Device Using Tunnel Diodes—V. P. Valyukhov, B. I. Vilenkin, E. N. Grigor'ev, V. I. Molotkov, and S. A. Onushchenko 295 247
Interval Timer with Loop-Oscillograph Recording—Yu. A. Panov and G. A. Tsyba 297 248
Computer Calculations of the Second Moments of Experimental NMR Spectra —A. S. Gur'evich, O. V. Falaleev, L. G. Falaleeva, and A. G. Lundin 299 249
Investigation of Condensation Cryopumping of Nitrogen and Air over the Pressure Range 760 Torr to Triple Point—P. M. Koizev, V. B. Yuferov, and B. V. Glasov 301 250
Experimental Explosive Chamber—A. E. Voitenko, A. F. Demchuk, and B. I. Kulikov 303 250
NEW INSTRUMENTS 305 252
APPENDIX i

Number 2 March-April, 1970

1870-1970 ..... 311 7
X-Ray Spectral Apparatus (Review)—M. A. Blokhin 313 9

NUCLEAR EXPERIMENTAL TECHNIQUES
Linear Ion Accelerator with Spatially Homogeneous Strong Focusing—I. M. Kapchinskii and V. A. Teplyakov 322 19
Measuring the Coulomb Frequency-Shift of Betatron Oscillations—D. G. Koshkarev and V. I. Nikolaev 327 23
Displacement of the Center of the Orbit in a Cyclotron due to the Variation in the Voltage along the Accelerating Cap—N. N. Krasnov, A. A. Ognev, and A. A. Ponomarev 332 27
Measurement of Harmonic Components of Fields of Standard Magnetic Quadrupole Lenses —M. M. Kats and F. M. Khasanov 335 29
Use of a Wire Spark Chamber to Measure the Beam Profile of a Synchrocyclotron —V. V. Vishnaykov, A. V. Dem'yanov, V. S. Roganov, A. S. Safroshkina, and A. N. Sinaev 339 32
Sensitivity of a Secondary-Emission-Type Accelerated-Electron-Beam Position Monitor —B. P. Angelov, I. A. Prudnikov, A. S. Toropov, and V. K. Khokhlov 342 34
Plasma Boundary of an Ion Source—Yu. Ya. Lapitskii 345 37
Electrostatic Spectrometer of Charged Particle Beams with Ring Focussing in the Field of a Cylindrical Condenser—V. V. Zashkvara, M. I. Korsunskii, V. S. Red'kin, and V. E. Masyagin 348 39
Cerenkov Total-Absorption Spectrometer with a KRS-6 Single-Crystal Radiator—A. S. Belousov, S. V. Rusakov, E. I. Tamm, L. S. Tatarinskaya, P. N. Shareiko, T. I. Darvoit, I. S. Lisitskii, E. G. Morozov, and M. A. Popova 351 41
Gas-Filled Mass Separator for Investigations of Heavy-Ion Reaction Products—I. Bacho, D. D. Bogdanov, Sh. Darotsi, V. A. Karnaukhov, L. A. Petrov, and G. M. Ter-Akop'yan .. 353 43
Device for Multiparametric Investigation of Nuclear Fission—S. I. Maslennikov, V. N. Okolovich, and A. F. Pavlov 358 47
Device for Measuring Full Proton Cross Sections of Reactions—G. K. Khomyakov, P. P. Matyash, N. A. Skakun, and A. G. Strashinskii 361 50
Apparatus for Measuring the Lifetime of Induced Nuclear Conditions in the Nano- and Subnanosecond Range—V. A. Morozov and T. M. Myuminov 364 53

180-Liter Xenon Bubble Chamber—E. V. Kuznetsov, A. N. Rozanov, Yu. V. Bardyukov, I. N. Vinogradov, V. V. Barmin, V. M. Golubchikov, A. G. Dolgolenko, N. S. Konoplev, A. G. Meshkovskii, and V. A. Shebanov 368 56
Computation of Kinematic Parameters of Electron Tracks in Bubble Chambers—B. A. Manyukov and P. V. Shlyapnikov 371 59
Spark Chamber with Graphite Electrodes—S. G. Tonapetyan, O. G. Konovalov, A. I. Derebchniskii, A. A. Zybalov, N. V. Goncharov, and V. M. Khvorostyan 374 61
Spark Fission-Fragment Counter—Yu. P. Gangrskii, B. Dalkhsuren, Yu. A. Lazarev, B. N. Markov, and Nguyen Cong Khan 376 63
Resolving Power of Silicon Surface-Barrier Counters—V. F. Afanas'ev, N. B. Strokan, and N. I. Tisnek 379 66
Electron Detection with a Shower Detector—Yu. I. Titov, N. F. Severin, R. V. Akhmerov, N. G. Afanas'ev, S. A. Byvalin, V. A. Gol'dshtein, and V. I. Startsev 383 69
Differential-Threshold Cerenkov Detector—Yu. D. Prokoshkin 386 71
Resonance Recording of ^{57}Co Gamma Quanta—K. P. Mitrofanov, M. V. Plotnikova, and N. I. Rokhlov 390 75
Elimination of Correlation Effects in the Detection of Gamma-Quanta—D. S. Andreev 393 77
Radiation Resistance of Type ZnS + ^{10}B Detectors to Neutrons—G. I. Ganichev, B. M. Kolesov, A. K. Ovchinnikov, and T. V. Timofeeva 395 78
Low-Activated Trigger Chamber Containing Helium-3—A. B. Dmitriev, M. G. Vorob'ev, E. K. Malyshev, and A. A. Pomerantsev 397 80
Scintillation Counter with a LiI(Eu) Crystal for Registering Thermal Neutrons —Ya. S. Kuz'minov 399 82
Scintillation Characteristics of Pure and Activated Cadmium Iodide Crystals—S. K. Zherebetskii, A. B. Lyskovich, G. M. Pentsak, and V. V. Chepelev 401 84
Contribution of the Scintillator to the Resolution of a Spectrometer using the Single-Electron Method—I. R. Gulakov, A. D. Levkovich, A. N. Pertsev, and P. N. Tolkach 404 86
Teflon and Aluminum Cells with Windows for Liquid Scintillation Detectors—A. A. Sharkis and R. I. Paeda 407 88

ELECTRONICS AND RADIO ENGINEERING

Data Transmission in the Measurement-Computing Complex of the Joint Institute for Nuclear Research—G. I. Zabiyakin, Z. Z. Lysenko, and V. N. Polyakov 409 90
Circuits for the Identification of Neutrons—V. G. Brovchenko and L. G. Kondrat'ev 415 95
Multidigit Decade Counter Based on an Electromagnetic Delay Line—N. E. Matalasov, E. F. Maklyaev, and A. P. Tsitovich 419 98
Device for Broadband Pulse Repetition Frequency Recording—V. V. Sidorenko, V. G. Sharonin, Yu. O. Yakubovskii-Lipskii, and A. V. Sidorenko 422 101
Recording System Based on a Standard Magnetic-Drum Storage Device —V. V. Golushko and A. M. Shimanskii 424 102
High Speed Magnetic-Chip Memory in a Scanning Robot for Measurement of Chamber Photographs—A. D. Bekh, Yu. G. Voitenko, G. P. Zharikov, V. D. Inkin, Yu. A. Karzhavin, V. M. Korsunskii, and G. A. Mikhailov 429 106
Pulse Amplitude Discriminators Based on Avalanche Transistors—D. G. Ali-Zade and V. P. D'yakonov 431 108
Time-Amplitude Converter for the Nanosecond Range—L. V. Sidorov 434 111
Circuit for Shaping Short High-Voltage Pulses—N. I. Elagin, V. V. Starykh, and S. D. Fanchenko 438 114
Peaking the Trailing Edge of a High-Voltage Nanosecond Pulse in an Unmatched Load O. G. Il'in and A. M. Shenderovich 440 116
Spark Gap for Operation with Spark Chambers—V. M. Knyazev 443 118
High-Precision Fast-Acting Discharger with a Solid Dielectric—A. B. Gerasimov, L. V. Dubovoi, and G. R. Zablotskaya 446 120

Multichannel Discharger for 50 kV with a Nanosecond Precision of Switching —A. I. Pavlovskii, A. I. Gerasimov, V. A. Tananakin, D. I. Zenkov, A. P. Klement'ev, and V. S. Bosamykin	449	122
Fast-Acting Electrodynamic Circuit Breaker—A. A. Rudenko, F. M. Spevakova, A. M. Stolov, and A. D. Frolov	451	124
Fast-Acting Linear Switching Circuit—V. F. Arkhovskii	455	127
Transistorized Wideband Nanosecond-Pulse Amplifier—K. M. Lekishvili, A. A. Dzidziguri, O. L. Khazaradze, G. S. Gedevanishvili, Yu. S. Andreevskii, and V. P. Peregudov	458	129
Amplifier for Semiconductor Gamma Detectors—O. K. Zhuravlev, V. F. Leonov, and A. V. Somikov	460	131
Low-Noise Transistor Amplifier—A. A. Gorbatov, A. A. Samsonov, L. V. Velikov, and E. G. Rudashevskii	464	134
Transistorized High-Voltage Sawtooth Generator—B. I. Goroshkov	466	135
Crystal Oscillator Using Field-Effect Transistors—A. A. Kuznetsov and V. I. Baryshev	468	137
Multiphase Ultralow Frequency Generator with Amplitude Modulation—V. P. Borovskii, I. I. Vas'kovskii', B. A. Nizhegol'skii, and O. N. Partala	471	139
A Coherent Radio Pulse Generator for Spin Echo Spectrometers—Yu. G. Kulesh, A. I. Militsin, and A. K. Dzizenko	473	141
Utilization of a Beat Oscillator in the Coherent Spin-Echo Method—Yu. I. Manzhura	475	142
Reflex-Klystron Autodyne Radio Spectrometer for the 8-mm Range—E. M. Gershenzon and P. A. Putilov	477	144
Device for Studying Electromagnetic Fields in Open Resonators Designed for the Millimeter Range—A. A. Petrushin, I. M. Balaklitskii, and V. P. Shestopalov	481	147
Instrument for Measuring the Damping Rate of Oscillations—A. V. Longinov	484	149
Strip Diode and Diode-Ferrite Modulators and Commutators—V. L. Rakhlin, Y. M. Rodina, M. M. Zubov, and V. A. Zakatov	486	151
Michelson's Interferometer with a Reference Resonator for Measuring Dielectric Parameters —I. S. Parkhomov, G. I. Gladyshev, and V. G. Batura	489	153
New Principle of Modulation in Investigations of Nuclear Magnetic Resonance in Ferromagnets —A. V. Zalesskii	492	156
Discrete Frequency Sweep in a Synthesizer for Nuclear Magnetic Resonance Spectroscopy —V. A. Zabrodin, V. E. Solov'ev, P. K. Kirillov, K. A. Tikhonov, and L. N. Gal'perin	494	158
Continuous Registration of Small Changes in the Velocity of Sound in Semiconductors —A. M. D'yakonov and É. Z. Yakhkind	499	162
Cavity for Electron Paramagnetic Resonance (EPR) Experiments on Semiconductors under Uniaxial Compression—B. G. Zhurkin, V. I. Novikov, N. A. Penin, and N. N. Sibel'din	503	166
Measuring the Hall Emf Produced by Alternating Electric and Magnetic Fields —V. A. Nadtochi and N. K. Nechvolod	505	167
Noise Discriminator Based on the Model S1-21 Stroboscope—G. S. Anufriev and M. I. Vainshtein	507	168
Pulse Television for Measurement Purposes—O. M. Bakhtin, G. A. Ivanov, and S. V. Khudyakov	510	170
Miniature High-Voltage Source with Stabilization and Control in the 10-30-kV Range —I. M. Divil'kovskii, D. V. Kovalevskii, L. V. Kulakov, and A. L. Shakhnovskii	512	172
Universal Precision Stabilized Voltage Source—A. N. Shcherban', N. I. Furman, N. S. Belgolovin, and A. V. Primak	514	173
GENERAL EXPERIMENTAL TECHNIQUES		
Mass-Spectrometric Analysis of Hydrogen Isotopes Using a High-Temperature Ion Source —N. N. Tunitskii, V. N. Komarov, and M. V. Tikhomirov	516	175
Nature of False Peaks in Spectrum of a Farvitron and Ways of Removing Them —L. N. Linnik, K. I. Lobachev, N. N. Linnik, and V. S. Batalov	520	178

Use of an MI-1305 Mass Spectrometer to Study the Secondary Ion Emission of Solids —M. A. Vasil'ev, Yu. N. Ivashchenko, and V. T. Cherepin	523	181
Very-High-Vacuum Orbitronic Pump—A. S. Nazarov, I. B. Anokhin, G. F. Ivanovskii, and É. A. Makh	526	184
Use of Nitrites to Obtain and Maintain a Very High Vacuum in Thermonuclear Equipment —E. A. Maslennikov	529	187
Method of Continuous Control of the Variation of Composition of a Gas—A. F. Pisarev and V. M. Shishunov	534	191
Recording of Organic Impurities in a Vacuum Chamber by Means of Ultraviolet Radiation —A. N. Lyulichev, B. I. Khrushch, and F. I. Chuprinin	536	193
Electron Gun Having an Electron Output from a Vacuum into Gas—A. M. Trokhan and D. L. Zelikson	538	195
Capillary-Arc Source of Metal Ions—B. N. Il'in and A. K. Krivtsov	540	197
Cadmium Manometer—Yu. V. Rud' and K. V. Sanin	542	199
Explosive Lamp—A. E. Voitenko, E. P. Matochkin, and A. F. Fedulov	544	201
Single-Pulse Operation of the GOS-300 Laser—M. P. Vanyukov, V. I. Isaenko, V. A. Serebryakov, V. N. Sizov, and A. D. Starikov	547	204
Use of Liquid Crystals to Photograph Single Pulses of Thermal Radiation—V. M. Ginzburg, V. I. Smirnov, A. S. Sonin, B. M. Stepanov, and I. G. Chistyakov	549	206
Streak Camera for the Nanosecond Range with a ZIS-1 Image Converter—V. N. Ishchenko and V. N. Starinskii	551	207
Actual Sensitivity of Multistage Image Converters—S. D. Fanchenko and V. A. Frolov	554	210
High-Speed Illuminator with Parabolic Optics—A. A. Gippius, Zh. R. Panosyan, and G. A. Ivanov	557	212
Determination of the Refractive Index of Transparent Films of Opaque Substrates —B. M. Ayupov	559	214
Cuvette for IR Spectroscopy of Highly Absorbing Fluids at High Pressures and Temperatures —I. V. Babashov, G. V. Bondarenko, Yu. E. Gorbatyi, and M. B. Épel'baum	560	215
Optical Instrument for Selecting Diamonds II and of Intermediate Types —E. A. Afans'eva and V. D. Kopanev	562	217
Cryostat for Magneto-Optical Investigations—L. I. Zasavitskii, B. N. Madsonashvili, and A. P. Shotov	565	219
Optimum Shape of Pole Pieces of a Magnet for Measuring the Susceptibility by Faraday's Method—E. V. Ivanov, L. I. Ivanova, and V. V. Zelentsov	567	221
Self-Compensation Balance for Measuring Magnetic Susceptibility—V. V. Lyapunov and G. I. Lyapunova	570	223
Apparatus for Studying the Magnetic Properties of Cylindrical Ferromagnetic Films —M. V. Chetkin, G. M. Nurmukhamedov, and V. A. Drachev	572	225
Use of Mechanical Resonant Systems for Physical Measurements—A. A. Meier	574	226
Source of Monochromatic Soft X Rays—G. G. Dolgov-Savel'ev and V. E. Panchenko	576	228
Thin Carbon Films for Electron Microscopy—A. S. Baev, A. A. Aleksandrov, and A. G. Kiselev	578	230
Automatic Digital Device for Measuring the Electrophysical Characteristics of Semiconductors —T. M. Lifshits, A. Ya. Oleinikov, and V. V. Romanovtsev	581	232
Synchrodyne Phase Method of Measuring the Rrelaxation Times of Photo- and Electroluminescence in Semiconductors—V. P. Sushkov, M. V. Nevskii, and E. B. Lyubyanitskaya	584	234
Dividion of Electrical Signals in Measurements of the Electroreflection Spectrum —V. A. Tyagai and V. N. Bondarenko	586	236
Obtaining Ohmic Contacts in Semiconductors—A. N. Pikhtin, V. A. Popov, and D. A. Yas'kov	589	238
Miniature Device for Obtaining Intermediate Temperatures—N. B. Brandt, E. A. Svistova, and M.V. Semenov	591	240

	Engl.	Russ.
"Purity" of Liquid Helium (E)—I. I. Abrikosova and A. I. Shal'nikov	593	242
Low-Frequency Temperature Fluctuations of Liquid Helium in Cryostats—N. A. Pankratov, G. A. Zaitsev, and I. A. Khrebtov	595	243
Device for the Measurement and Automatic Control of the Liquefied Gas Level —A. E. Rovinskii and G. I. Abramov	599	247
Receiving Head for a Displacement Transducer Using Diffraction Gratings —D. A. Asfendiarov, V. V. Dobyrn, M. V. Stabnikov, and B. G. Turukhano	601	248
Furnace for Mössbauer Investiagations—G. V. Verevkin and Ya. V. Vasil'ev	603	250
Remote-Controlled Opening of Ampules—L. I. Pivovar and L. I. Nikolaichuk	605	252
Improvement of the Coating Quality of Paper for Vibrograph-Type Recorder —N. A. Chumaevskii	606	253
ABSTRACTS		
OIYaI Synchrocyclotron Beams Have Proton Energies of 680 MeV—V. S. Roganov	607	254
Program for Computing the Kinematic Parameters of Electron Tracks in Bubble Chambers and the Results of Their Statistical Testing—L. N. Gerdyukov, B. A. Manyukov, and P. V. Shlyapnikov	609	255
Accounting for Coulomb Scattering in the Processing of Chamber Tracks—G. Ya. Lyubarskii, I. A. Koltunov, and R. I. Adushkina	611	256
Investigation of the Nonstationary Pressure Field in the Working Liquid of a Bubble Chamber —R. V. Chvartatskii	613	256
Simple Spectrum Analyzer for Low and Infralow Frequencies—V. M. Zhestovskii and V. I. Rubtsov	615	257
Experimental Study of the Extrema of Random Processes—M. I. Forman and N. F. Zaika	617	258
Self-Stabilizing dc Electromagnet—S. V. Skachkov, B. I. Simonov, and V. A. Pomelov	619	259
Scintillation Gamma Pair Spectrometer—B. A. Bibichev, E. I. Biryukov, M. A. Suvorov, and N. S. Shimanskaya	621	260
Three-Electrode Electron Gun for a Linear Accelerator—K. P. Rybas, A. K. Dezhnev, and V. N. Panov	623	262
NEW INSTRUMENTS	625	263
Standards Collections for the "Unified System of Construction Documentation"	633	271
ERRATA	635	271

Number 3 May-June, 1970

The International System of Units as a Basis for a New Government Standard Covering the Units of Physical Quantities—L. R. Stotskii	637	7
Present-Day Thermal Radiation Detectors and Their Applications (Review) —L. S. Kremenchugskii	643	12
NUCLEAR EXPERIMENTAL TECHNIQUES		
Instability of the Motion of the Particles in a Synchrotron with Strong Focusing at High Frequencies of the Accelerating Field—S. A. Kheifets	663	32
Sensitivity of the Method of Switching Off a Single Section in the Strong-Focusing Channel of a Linear Accelerator—V. A. Batalin and A. A. Kolomiets	670	37
On a Certain Type of Magnetic Focusing System with Compensated Dispersion —V. V. Miller	672	39
Achromatization of Particle Beams for the Case in Which the Magnetic Analysis Precedes the Limiting of the Beam—V. V. Miller	675	42
Shaping of Rectangular Field-Pulses in Inductance-Type Driving Magnet—B. K. Ratnikov	679	44
Measurement of the Phase Characteristics of the Buncher in a Linear Electron Accelerator —E. K. Ostrovskii and A. I. Zykov	683	48

Measurement of the High-Frequency Structure of the Beam of an Electron Synchrotron —A. S. Aleksanyan, B. I. Bekker, R. N. Pikhtelev, and S. A. Kheifets 686 51
Extraction of a Beam from the Joint Institute for Nuclear Research Two-Meter Isochronous Heavy-Ion Cyclotron by the Charge-Exchange Method—I. A. Shelaev, V. S. Alfeev, S. I. Kozlov, and R. Ts. Oganesyan 689 53
Charge Exchange of Protons in Negative Ions on Cesium—Yu. M. Khirnyi and and L. N. Kochemasova 693 56
Increase in the Efficiency of Collecting Secondary Charged Particles in Accelerating Tubes with Oblique Fields—A. N. Serbinov, A. V. Mazhulin, V. P. Yakushev, A. I. Lashuk, and I. P. Sadokhin 696 58
Use of a Semiconductor Alpha Spectrometer to Analyze Preparations Containing Californium—Yu. F. Rodionov 700 61
Scintillation NaI(Tl) Gamma Spectrometer with a Ring Guard Crystal Having the Dimensions 200 × 380 mm —L. S. Danelyan, B. Kardon, D. Kishsh, M. I. Pevzner, L. Sabo, S. K. Sotnikov, and Z. Sheresh 703 63
Stabilization Systems of a Gamma-Ray Spectrometer—L. Sabo, S. K. Sotnikov, L. S. Danelyan, B. Kardon, Z. Sheresh, and L. A. Lokhonyai 708 68
Preparation of Linear Mössbauer ^{57}Co Sources—A. N. Artem'ev, R. M. Mirzababaev, V. V. Sklyarevskii, and G. V. Smirnov 715 74
Telescopic Fast-Neutron Spectrometer with an Improved Efficiency—Ya. Tyke, B. Fryshchin, and B. Sikora 718 77
Neutron Interrupter (Chopper) and Monochromator with Synchronously-Rotating Rotors Suspended in a Magnetic Field—S. M. Kalebin, G. V. Rukolaine, and M. Adib 721 79
Two-Crystal Neutron Diffractometer—B. I. Khrushchev and Sh. G. Igamberdiev 726 84
Double Thermal-Neutron Polarizer—B. A. Obinyakov and Yu. A. Mostovoi 729 87
Performance Parameters of a Neutron Detection Unit—Z. Ya. Sokolova and V. B. Chernyaev 733 90
Miniature Cerenkov Shower Spectrometer—A. A. Varfolomeev, V. I. Glebov, É. I. Denisov, and Yu. B. Korolevich 735 92
A Magneto-Optical Channel for the Search for Quarks—I. A. Aleksandrov, M. I. Grachev, K. I. Gubrienko, E. V. Eremenko, V. I. Kotov, A. A. Prilepin, A. V. Samoilov, V. S. Seleznev, and Yu. S. Khodyrev 738 95
Multichannel System for Measuring the Photofission Yield—B. S. Ishkanov, I. M. Kapitonov, M. I. Pekar', and I. M. Piskarev 741 98
ITÉF Two-Meter Liquid-Hydrogen Bubble Chamber—Yu. D. Aleshin, G. A. Arutyunyants, V. S. Verebryusov, B. B. Gerber, L. L. Gracheva, A. Ya. Diament, V. P. Dronyaev, M. M. Kats, I. L. Diselevich, S. L. Krapivin, V. P. Kulakov, N. A. Lobacheva, I. A. Mel'nichenko, A. S. Morozov, V. I. Moskalev, S. Ya. Nikitin, A. A. Pletnikov, Yu. I. Ryvkin, V. I. Silaev, V. P. Surin, V. F. Turov, F. M. Khasanov, B. F. Shvartsman, A. V. Shidlovskii, and V. D. Shkarlet 744 100
Magnet of the ITÉF Two-Meter Liquid Hydrogen Bubble Chamber—Yu. D. Aleshin, M. M. Kats, I. L. Kiselevich, I. A. Mel'nichenko, A. S. Morozov, V. I. Moskalev, S. Ya. Nikitin, A. A. Pletnikov, Yu. I. Ryvkin, V. F. Turov, F. M. Khasanov, B. F. Shvartsman, A. V. Shidlovskii, and V. D. Shkarlet 747 103
Operation of a 34-cm Freon Bubble Chamber in the Photon Beam of a 2-GeV Electron Linear Accelerator—S. G. Tonapetyan, N. V. Goncharov, V. M. Khvorostyan, O. G. Konovalov, and A. I. Derebchinskii 751 106
Accounting for Braking and Oblique Angularity when Using a Reprojector to Process the Tracks of Low-Energy Particles in a Bubble Chamber—S. G. Sherman 755 109
Acoustic Spark Chamber Using Sonic Wave Reflection—A. V. Kurochkin and Yu. T. Yurkin 757 111
Some Characteristics of a Polyurethane Foam Streamer Chamber—A. I. Alikhanov, M. S. Ainutdinov, V. A. Artem'ev, V. M. Knyazev, I. I. Pershin, and V. A. Soloshchenko 759 113

Dependence of the Brightness of a Spark on Ionization—V. N. Bolotov, G. A. Bydanov, M. N. Devisheva, M. I. Devishev, I. I. Karpov, O. I. Mikhailov, and V. K. Semenov ... 761 114
A Threshold Cerenkov Counter of High Resolution—Yu. P. Gorin, S. P. Denisov, S. V. Donskov, A. F. Dunaitsev, A. I. Petrukhin, Yu. D. Prokoshkin, D. A. Stoyanova, and R. S. Shuvalov ... 764 117
The Effect of the Optical Characteristics of NaI(Tl) Single Crystals on their Scintillation Properties—Yu. A. Tsirlin, N. Yu. Gurevich, E. P. Mokhir, and I. S. Budilov ... 767 120
Advantages of 1,1', 4,4'-Tetraphenylbuta-1,3-Diene in the Preparation of Some Scintillators —I. G. Golutvina, A. Dobrovol'skaya, L. Ya. Zhil'tsova, E. N. Matveeva, O. G. Rubina, and I. M. Stoletova ... 770 122
Transparency of a Polystyrene-Base Plastic Scintillator to Its Own Radiation —V. M. Gorbachev and N. A. Uvarov ... 772 123
Investigation of the Light Collection Characteristics of Light Conductors—V. M. Denyak, A. A. Nemashkalo, V. D. Afanas'ev, and V. I. Startsev ... 774 124
Pulsed Light Source Simulating Radiation from a Scintillating Plastic—K. V. Aleksandrovich, I. A. Berezin, V. M. Gorbachev, and N. A. Uvarov ... 777 127
Automatic Correction of the Spatial Position of a Secondary Particle Beam in the Accelerator —V. V. Glagolev, I. A. Eliseeva, R. M. Lebedev, L. A. Leonov, B. D. Omel'chenko, I. S. Saitov, and V. F. Sikolenko ... 779 129

ELECTRONICS AND RADIO ENGINEERING

Correction of Spectra Obtained from Multichannel Analyzers for Drift in Null Point and Amplification—B. G. Egiazarov and R. P. Selyutin ... 784 134
Wide Range Time-Amplitude Converter—A. A. Sanin and P. N. Shareiko ... 788 136
Reduction of Differential Nonlinearity in Amplitude Converters—M. E. Glushkovskii ... 793 142
Linear Switching Device with Wide Dynamic Range—B. A. Bibichev and A. K. Sheremet'ev ... 796 145
Elementary Particle Track Coordinate Measurements with a Linear Scanistor —G. A. Zheltovskii and P. I. Gos'kov ... 798 146
Operation of a Slow Scintillator in a Fast-Coincidence Circuit—E. A. Andreyev, S. P. Sit'ko and V. A. Shevchenko ... 803 150
Linear Nanosecond Pulse Extender with Blocking of the Input—L. Ondrish, S. V. Rikhvitskii, and I. N. Semenyushkin ... 805 151
Noise of Low-Frequency Balanced Parametric Amplifier—V. M. Zhestovskii 808 154
Square Pulse Generator with Pulses of Large Amplitude and of Varying Duration and Frequency—D. M. Timush ... 811 156
Thyristor High-Voltage Pulse Generators—V. A. Artem'ev, N. G. Voronova, and V. M. Knyazev ... 817 162
A Helical Pulse-Voltage Generator—A. B. Gerasimov, I. M. Roife, E. B. Seredenko, and B. A. Stekol'nikov ... 819 163
Controlled Spark Gap—I. I. Aksenov, V. Z. Amelin, N. G. Baranov, V. I. Slatin, and S. A. Smirnov ... 822 166
Two-Channel Oscilloscope Indicator with High Resolution for the Investigation of Random Processes—D. G. Bulyginskii, M. I. Vil'dzhyunas, and B. A. Utochkin ... 826 168
Measurement of Characteristics of Extrema of Random Processes—A. V. Blokhin ... 830 171
Synchronous Detector with Vacuum-Type Thermal Converters—Yu. A. Abramov, A. A. Grachev, M. S. Kozlov and V. I. Sazanov ... 832 172
Simple Microwave Correlometers—I. S. Fishman ... 834 174
An Image Transformer—V. N. Listvin and A. D. Morenkov ... 839 178
Equipment for 3-cm Waves with a Pulse Duration of about 1 nsec—L. I. Sharapov, I. Kh. Vakser, and I. M. Lanin ... 841 179
Characteristics of the Transducer in an Instrument for Measuring Microwave Pulse Power Using a Silicon Sensing Element—S. I. Gechyauskas, Yu. K. Pozhela, and K. K. Repshas ... 844 182

A Radiometer for the Submillimeter Range Using an n-InSb Detector—A. N. Vystavkin, V. N. Listvin, and A. D. Morenkov 846 183
Immersion Detectors Based on n-InSb and Used in the Millimeter and Submillimeter Range—A. N. Vystavkin, V. N. Listvin, A. D. Morenkov, and V. D. Shtykov 848 185
Double Acoustic Nuclear-Nuclear and Electron-Nuclear Resonance Spectrometer—N. A. Shamukov and V. A. Golenishochev-Kutuzov 850 186
Kinetic Method of Exciting Free-Induction and Echo Signals—V. R. Nagibarov and V. V. Samartsev 853 189
Equipment for Measuring the Parameters of the Logarithmic Characteristics of Nonlinear Elements in the Very Low Current Region—L. A. Vsevolozhskii, A. M. Ilyukovich, and I. P. Mikhailova 855 191
Measurement of the Capacitance and Conductance of a Metal-Insulator-Semiconductor Structure at Sonic and Subsonic Frequencies—R. S. Nakhmanson and V. G. Erkov 858 193
Method for Circular Modulation of a Magnetic Field—E. P. Vol'skii and V. M. Teplinskii 861 195
Stabilization of Motor Running Speed over a Wide Range—B. A. Kotov, Yu. A. Kotov, and R. F. Suramanov 863 197
Contactless Current Commutator in a Load—B. A. Volkov 866 200
Precision Shunt for Recording Mega-Ampere Currents—S. I. Andreev and R. A. Liukonen 868 201

GENERAL EXPERIMENTAL TECHNIQUES

An Ion Source with Ionization by an Electric Field and Electron Impact for Mass Spectrometers of a Unique Series—I. V. Gol'denfel'd, R. N. Bondarenko, and V. G. Golovatyi 870 203
Recording of Weak Currents by a Secondary Electron Multiplier with Continuous Dynodes—V. I. Gorgoraki and A. V. Gerasimova 873 206
Determination of the Dimensions on Ion-Producing Region—Yu. Gal'man, A. M. Zatselyapin, and V. I. Mikhailov 875 207
Single-Electron Distribution of Pulses in Photomultiplier with Large Electron Transit Coefficient—I. R. Gulakov, A. M. Lyutsko, A. N. Pertsev, and M. B. Satsunkevich 877 209
Power Supply to a Photomultiplier Working as a Photon Counter—G. S. Kvater, V. M. Konshin, E. G. Lindberg, E. D. Mishchenko, and V. B. Smirnov 880 212
Laser-Pulse Measurement of Pulse Characteristics of Coaxial Photocells and Fast Photomultipliers—L. I. Andreeva, S. D. Kaitmazov, S. A. Kaidalov, A. A. Medvedev, B. M. Stepanov, B. I. Terekhov, and V. I. Khlystov 882 213
Photoionization Gas-Discharge Radiation Counters for the Range 1050-2000 Å—L. S. Sorokin, V. K. Adamchuk, and A. B. Dmitriev 885 216
Measurement of the Thermooptical Constant of Glass—I. M. Buzhinskii, E. M. Dianov, S. K. Mamonov, and L. I. Mikhailova 887 219
Lithium Hydride Particle Injector for Laser Plasma Experiments—G. G. Dolgov-Savel'ev and V. N. Karnyushin 889 220
Optical Research Chamber for Studies at Pressures to 100 kbar—N. S. Fateeva and L. F. Vereshchagin 891 222
Microgages for Ultrahigh Pressures—Yu. D. Klebanov and V. N. Sumarokov 893 224
Automatic Rotary Magnetometer for Measuring Small Torques—E. S. Mushailov, V. G. Pyn'ko, and A. A. Sukhovskii 895 225
Application of a Bent-Crystal X-Ray Spectrometer to Analysis of Emission Outside the Rowland Circle—V. A. Trapeznikov and V. P. Sapozhnikov 897 227
X-Ray Diffractometer Vacuum Chamber for the Study of Deformations in Metals at High Temperature—V. V. Levitin and V. I. Babenko 901 230
Stroboscopic Electron Microscope with Time Resolution of 2 nsec—Yu. A. Durasova, I. S. Kolotov, and O. S. Kolotov 904 233
Utilization of a Diode Current Signal in the Raster Electron Microscope—E. B. Korob and S. A. Ditsman 907 236
An Auto-Ion Microscope—R. I. Garber and G. G. Chechel'nitskii' 909 237
Image Formation in the Auto-Ion Microscope—V. I. Kirienko and L. P. Potapov 912 239

Probe Method for Measurement of Charge Carrier Lifetimes in Semiconductors—K. D. Glinchuk and N. M. Litovchenko 916 243
Nonrectifying Contacts for $ZnSiP_2$ Crystals—É. É. Alekperova, Yu. A. Valov, and A. A. Cheremisina 919 246
Laboratory Ultrasonic Drill—S. G. Bessonov and I. P. Golyamina 922 249
Linear Adjustment Mechanism—S. S. Sarkisian 924 251
Machine for Investigating Deformations at Temperatures up to 1.5°K—V. E. Vergola, V. P. Gorbach, V. B. Pariiskii, and I. A. Shapovalov 925 252
Fast Photoelectric Micropyrometer—Yu. I. Danilov, A. N. Kolesnichenko, and A. V. Pustogarov . 928 254
Quartz Frequency Thermometer—A. G. Smagin and B. G. Mil'shtein 932 258
Preparation of Thin Tungsten Foils for Nuclear Research—L. I. Kovalenko and A. A. Rosen 935 260
Metallurgical Method for Preparing Highly Active Sources for Mössbauer Spectroscopy of Iron —S. K. Godovikov and R. N. Kuz'min 936 261
Preparation of Thin Nickel Foils—L. A. Pobedonostsev and Yu. A. Selitskii 938 263

ABSTRACTS

CDC-1604A and Minsk-22 Computer Programs for Processing Hydrogen Chamber Data —N. A. Buzdavina, P. Bukhgol'ts, N. N. Govorun, V. G. Ivanov, I. M. Ivanchenko, D. Karl, Kh. Kaufman, A. F. Luk'yantsev, D. Khammer, and É. Yunker 938 264
Digital System for Stabilizing a Spectrometer with Respect to the Reference Peak and Providing Increased Response Speed—A. P. Nekhai and Yu. V. Tubol'tsev 941 265
Pneumatic Transport Device for Making a Radioactive Analysis on a Microtron—V. N. Samosyuk, Yu. M. Tsipenyuk, and V. N. L'vov 943 266
Equipment for Measuring Spin-Lattice Relaxation Time in Large Magnetic Fields —A. K. Shevchenko 944 266
Low-Frequency and Very-Low-Frequency Noise Generator—V. A. Bondar', V. P. Bondarenko, A. K. Kondakov, and I. V. Shipunov 946 267

REVIEWS OF INSTRUMENTS

Transistorized Remote Amplifier for the S1-11 Oscillograph—G. S. Dragun 948 269
Slow Mass Spectrum Sweep Attachment for the KM-1 Mass Spectrometer—G. I. Slobodenyuk and V. F. Fedotov 950 271
Improved Evaporator for the ÉG-100M Electronograph—N. V. Fomin, N. V. Alekseev, and I. A. Ronova 952 272

NEW INSTRUMENTS 954 273

Number 4 July-August, 1970

Methods of Measuring Varying and Pulsed Magnetic Fields (Review)—N. S. Babenko 963 7

NUCLEAR EXPERIMENTAL TECHNIQUES

Possibility of Reducing the Injection Energy and Increasing the Limit Current in an Ion Linear Accelerator—I. M. Kapchinskii and V. A. Teplyakov 973 17
Investigation of the Vertical Motion of Particles in a Cyclotron—N. N. Krasnov, A. A. Ognev, and A. A. Ponomarev 976 19
Methods of Monitoring Proton Discharge onto the Internal Target of a High-Energy Accelerator—Yu. M. Goryachev, V. P. Kanavets, B. V. Morozov, N. A. Nikiforov, and A. S. Starostin 979 22
Pulsed Neutron Source—M. E. Gurtovoi, A. S. Kukhlenko, B. E. Leschenko, and V. I. Strizhak . . 982 24
Shortened Charge-Exchange Gas Target—L. I. Pivovar and Yu. Z. Levchenko 986 28
Apparatus for Studying the Dynamics of Condensed Systems Using a Back-Scattering Method—V. É. Komarov, O. L. Kukhto, and S. P. Solov'ev 988 29

Mass-Spectrometric Measurements of the Diminution of Hydrogen in Polyethylene Targets Which Have Been Irradiated in a Proton Synchrotron—G. M. Kukavadze, V. V. Trebukhovskii, V. S. Borisov, and L. L. Gol'din	993	33
Measurement of the Momentum of the Accompanying Particles at Short Distances from a High-Energy Nuclear-Active Particle—N. Kh. Bostandzhyan and G. A. Marikyan	996	36
Heat Exchange and Temperature Control System for the 2-Meter Liquid Hydrogen Bubble Chamber—I. L. Kiselevich, V. I. Moskalev, A. A. Pletnikov, M. N. Ruzin, B. F. Shvartsman, and V. D. Shkarlet	999	38
Operation of a Spark Chamber at a High Count Rate—Yu. P. Usov, P. S. Anan'in, A. G. Sterligov, and V. G. Tolmacheva	1003	42
Phoswich for Neutron Detection—L. E. Grudskaya, V. G. Vlasov, V. G. Poduzhailo, and S. A. Malinovskaya	1006	44
Pulse Delay Time in ^{3}He Neutron Counters—V. I. Korolev, L. A. Kamaeva, V. G. Chaikovskii, and A. V. Shapar'	1008	46
A Boron-Containing Liquid Neutron Detector—V. Ya. Kitaev	1011	48
Scintillator for Recording Slow Neutrons—Yu. Ya. Markov and O. G. Ryazhskaya	1013	50
Effect of Chemical Factors on the Sensitivity of Polymeric Detectors—Ya. M. Veprik, V. P. Perelygin, V. P. Romanenko, S. P. Tret'yakova, and Yu. A. Vinogradov	1015	51
Time-of-Flight Measurements of the Electrical Length of Coaxial Delay Cables —E. S. Pavlovskii	1018	53
Accelerating Structures with Ring Coupling Resonators—V. G. Kul'man, É. A. Mirochnik, and V. M. Pirozhenko	1020	56
Solid-State Construction for Discharge Quenching in Geiger Counters—A. S. Karasik and O. N. Prokof'ev	1025	61
Effect of an Automatic Correction System on Spectrometer Resolution—B. G. Basova and A. D. Rabinovich	1028	64
Time-Amplitude Converter for the Nanosecond Range—B. G. Bazova, V. A. Kachalin, and B. I. Starostov	1034	69
Low Noise Preamplifier Employing Field Effect Transistors—A. A. Mitin and G. N. Sofiev	1039	74
Low Noise Charge-Sensitive Preamplifier Employing Field Effect Transistors —V. N. Pod'yachev and R. M. Shatunovskii	1042	76
Pulse Shaper with Independent Regulation of Output Pulse Duration and Dead Time —M. I. Grachev, V. G. Lapshin, V. I. Rykalin, and V. A. Sen'ko	1046	79
Impulse Generator for Feeding a Linear Accelerator—D. G. Borisov, A. I. Gryzlov, and Yu. V. Belov	1049	82
Semiautomatic Apparatus for Regulating the Neutron Diffractometer—A. K. Kozorez and V. I. Skirda	1052	84
Automatic Stabilization of a Device for Measuring Life Times in the Picosecond Range —R. B. Begzhanov, D. A. Gladyshev, and M. Kh. Ikramov	1054	86
Spark-Chamber Power-Supply Circuit with Semiconductor Trigger—A. F. Iyudin, A. V. Kurochkin, É. M. Shermanzon, and Yu. T. Yurkin	1058	90
Thyristor Voltage Stabilizer for a 40-kV Modulator—A. M. Kozodaev and N. V. Lazarev	1060	92
Automatic Amplitude Spectrometer with a Tracking Sweep—O. M. Sorokin	1063	94
A Shaper with Double Shaping Based on Delay Lines Having a Modified Noise Spectrum —V. B. Ivanov and V. I. Shipilov	1065	96
Stabilization of the Gain of a Scintillation Counter for Registering ^{14}C —Yu. F. Biryulin and N. V. Kolesnikov	1069	100
Stabilized Gamma-Resonance Spectrometer—V. I. Gol'danskii, A. V. Dolenko, B. G. Egiazarov, V. P. Romashko, and A. I. Shamov	1071	101
Mössbauer Spectrometer for Express Analysis—P. Kamenov and D. Manushev	1075	104
Four-Channel Device for Magnetic Recording of Low-Frequency Electrical Signals and Feeding Them into a Digital Computer—R. A. Tilo and V. S. Yakobson	1077	106

Apparatus for the Automatic Accumulation (Storage) and Analysis of Information in Experiments with the Synchrocyclotron—S. V. Medved', V. V. Moiseeva, A. N. Sinaev, G.-Yu. Tsakher, and N. A. Chistov 1081 109
Program Linking FSD Measuring Microscopes with a Minsk-2 Computer—V. V. Ammosov, P. A. Gorichev, E. V. Teplov, and O. A. Shmelev 1084 112
Switch for Reading Out Information from Counters to a Digital Printer—Yu. V. Rodnov and A. N. Sytin 1087 114
Wideband Frequency Divider of a Sinusoidal Signal That Has an Adjustable Division Factor—V. A. Uvarov and V. P. Gusev-Donskoi 1089 117
High-Accuracy Variable Time Delay—Yu. V. Shein and V. A. Belov 1093 120
Device for Recording the Output Signals of Microwave Spectrometers—V. P. Zelenin and V. S. Polovnikov 1097 123
Fast Transistor dc Amplifier—I. V. Galkin and N. F. Gusev 1099 124
Powerful Pulse Generators Based on Avalanche Transistors—V. P. D'yakonov and D. G. Ali-Zade 1102 126
Transistor Staircase-Voltage Generator Phased Relative to the Beginning of the Triggering Pulse—V. P. D'yakonov and Ch. A. Sharifov 1105 129
Image-Scan Generators for Electron-Optical Converters—A. S. Bryukhanov, A. I. Boriskin, V. N. Grib, N. V. Golub', and A. G. Chekanov 1108 131
Generator of Rectangular Radiofrequency Pulses with Short Rise Times —G. I. Antokol'ski 1113 136
Generator of High-Voltage Nanosecond Pulses with Precise Length—P. S. Anan'in, A. G. Sterligov, V. G. Tolmacheva, and Yu. P. Usov 1115 137
Transistorized Delayed Pulse Generator—M. N. Bystrov, D. M. Lerner, and V. P. Silin ... 1118 139
Start-Stop Pulse Generator for a Gas Laser—A. A. Besshaposhnikov and I. Kh. Kuchuberia. 1121 141
Simple Correlation Meter for Measuring the Time Response of Nanosecond Devices —Yu. V. Vvedenskii, A. M. Siz'min, and V. V. Skryl'nikov 1123 143
Computational-Statistical Method of Measuring the Resistances of Ohmic Contacts —G. A. Kubetskii and V. Ya. Niskov 1125 145
Half-Wave Elongation of Lecher Wires in a Nuclear Quadrupole Resonance Spectrometer —D. A. Baisa and A. I. Barabash 1127 146
Generator for Ultrasonic Delay Lines—M. V. Korolev 1129 148
Generator with a Variable Pulse Program for Measuring the Parameters of Ferrites —D. D. Sandu 1131 149
Use of a Klystron Oscillator Stabilized by a Superconducting Resonator in an ESR Spectrometer with High-Frequency Modulation—V. V. Ginodman, P. S. Gladskov, Yu.V. Dedik, and Z. F. Kaplun 1136 154
Automatic Calibrator for Electron Paramagnetic Resonance Spectra Based on Semiconducting Elements É. V. Dvornikov and K. V. Grebennik 1138 156
Plasma Device for Closure of High-Current Circuits—V. S. Komel'kov and V. I. Modzolevskii 1143 160
Millimeter and Submillimeter Band Radiospectrometer—A. I. Petutin, A. I. Zvyagin, S. F. Dyubko, V. V. Shmidt, and A. E. Potupchik 1146 163
Temperature-Sensitive Phosphor for Visualizing Millimeter Radiations—V. L. Levshin, N. V. Mitrofanova, Yu. P. Timofeev, S. A. Fridman, and V. V. Shchaenko 1150 166
Electronic Stabilizer for High Voltages—I. F. Kalinkevich, V. M. Lavrov, and I. T. Serenkov 1152 167
500-A Stabilized Current Source for Superconducting Solenoids—A. A. Voronin, V. N. Lunin, P. A. Cheremnykh, and V. I. Sharapov 1155 169
High-Power Stabilized Thyristor Rectifier—A. A. Arzumanov, S. S. Batalin, G. A. Bykov, B. A. Volkov, and V. F. Ezerskii 1157 171
Cathode Emission Current Stabilizer—A. Shvets 1159 173
Photomultiplier Impulse Shaper with Stable Time Delay—Yu. V. Katinov, N. V. Rabin, A. I. Sutormin, G. N. Tyapkina, and K. I. Yablonin 1161 174

GENERAL EXPERIMENTAL TECHNIQUES

Compensation Circuit for Precise Mass Spectrometer Measurements—R. E. Prilutskii 1164 178
Measurement of the Instability of the Position of an Ion Beam in the Entrance Slit of a Mass Spectrometer—R. E. Prilutskii 1167 180
Effect of Point Shape on Field Ion Images—L. P. Potapov 1169 181
Controlled Gas-Discharge Instrument with a Cold Hollow Cathode—I. I. Aksenov, V. A. Belous, and S. A. Smirnov 1172 184
Decrease of the Migration of Hydrocarbons in an Ultrahigh Vacuum System by Means of a Passive Gas—B. Z. Kanter 1174 186
Device for Ionization of Material Vaporized by an Electron Beam—V. P. Belevskii and V. M. Koptenko 1176 188
New Probe for a Mass-Spectrometer Leak Detector—L. E. Levina and V. V. Pimenov 1179 190
Air Cooling of Electron-Beam and Photoelectric Instruments—A. N. Abramenko 1180 191
Automatic Noise Gain Control using an FÉU-83 Photomultiplier—I. D. Mitsenko 1182 193
Broadband Noise Generators Based on Intermittent Photoelectron Multipliers—A. M. Siz'min . 1184 194
Electrical Characteristics of High-Voltage Phototransducers—L. P. Landsman and D. S. Strebkov 1187 197
Use of Zeolite Pumps in Field-Emission Microscopy—V. A. Kuznetsov 1190 200
Vacuum Sorbent Cut-Off Device in the Cryostat of a Ge(Li) Detector—A. M. Govorov 1192 202
Simple Demountable Source of Schumann Radiation—R. L. Nemchenok and Yu. P. Udoev 1194 203
Semiconductor Device for Monitoring the Energy of Laser Radiation—Yu. A. Nestrizhenko and A. Ya. Matveev 1196 204
Manufacture of a Sensing Element for a Gardon Radiometer—M. S. Bespalov, A. N. Boiko, V. M. Eroshenko, Yu. M. Mal'tsev, and L. A. Yaskin 1199 207
Instrument for Measuring the Temperature of a Surface from Its Infrared Radiation É. F. Burtsev, I. V. Grekhov, and N. N. Kryukova 1201 209
Light-Signal Generator for Studying the Frequency Characteristics of Photoreceivers —L. I. Andreeva, M. M. Egorov, S. A. Kaidalov, and B. M. Stepanov 1203 211
Kerr Shutter for High-Frequency Modulation of Laser Radiation—V. A. Gribkov, G. V. Sklizkov, S. I. Fedotov, and A. S. Shikanov 1206 213
Frequency Multiplication with a Thin Magnetic Film—N. N. Kurdyumov and V. V. Potemkin 1210 216
Measurement of Hydrostatic Pressure up to 100 kbar by a Manganin Resistance Detector —N. A. Bendeliani and L. F. Vereshchagin 1212 218
Method of Extracting Wires through the Seals of High-Pressure Chambers —A. F. Mundus-Tabakaev 1214 219
A Simple Seal for the Small Piston of a Pressure Booster—A. P. Grigor'ev 1215 220
Control of the Plunger Reciprocating Motion in a Laboratory Hydraulic Press —S. M. Stishov and E. M. Saburenkov 1217 221
Scintillation Spectrometry of Soft X-Ray Radiation—V. R. Al'perovich, N. I. Komyak, A. B. Lyskovich, and G. M. Pentsak 1219 223
Fabrication of Single Crystals of Low-Melting Metals—M. S. Khaikin, S. M. Cheremisin, and V. S. Édel'man 1222 225
Superconducting-Wire Liquid Helium Level Gauge—Ya. I. Rozenberg 1225 228

ABSTRACTS

Multichannel Digital Data Input to Computer with the Aid of Specialized Storage Systems —V. I. Vinogradov, V. I. Kadashevich, and V. I. Petrova 1227 230
Count Channel of Automatic Scanner for Measuring Spark Chamber Photographs —V. D. Inkin, Yu. A. Karzhavin, V. M. Kotov, V. K. Lyapustin, Yu. I. Susov, and V. I. Ustinov 1229 231
Track Signal and Reference Signal Simulator for an Automatic Scanner—V. D. Inkin, Yu. A. Karzhavin, V. K. Lyapustin, and V. I. Ustinov 1231 232

Space Charge Effect in a Spectrometric Cyclotron—M. V. Kazarnovskii and E. M. Moroz 1232 232
Automatic Processing of a Physical Experiment using Nuclear Photographic Emulsions—A. R. Linetskii and N. Ya. Rutkevich 1234 233
Minimizing Gain Instability in Linear Pulse Amplifiers—A. M. Mitin 1236 234
Mass Spectrometric Measurements of Carbon Isotope Ratio by Decompensation, Using a Storage Device—E. F. Doil'nitsyn, M. P. Aleksandrov, A. P. Pertseva, and V. I. Titkov 1238 235

REVIEWS OF INSTRUMENTS
Expansion of the Mass Range of a Unipolar Mass Spectrometer—N. N. Bagrov, A. A. Guslyakov, A. G. Pilipenko, A. G. Furmanskii, and A. E. Yanov 1240 237
Time Tie-In of High-Speed Photographs with Electrical Quantities—I. M. Zolototrubov, I. T. Skoblik, A. G. Tolstolutskii, and V. N. Zhukov 1242 238

NEW INSTRUMENTS 1244 240

Number 5 September-October, 1970

Digital Methods of Measuring Phase Shift (Survey)—S. S. Kuznetskii and M. K. Chmykh 1253 7

NUCLEAR EXPERIMENTAL TECHNIQUES
Increasing the Energy of an Electrostatic Accelerator with Charge Exchange from 10.5 to 14 MeV—A. V. Almazov, F. F. Myntsov, and Yu. A. Serov 1266 20
Electromagnet of a Transportable Betatron Excited by Current at Increased Frequency —M. V. Kim, V. S. Loginov, G. F. Shilin, V. L. Chakhlov, and Yu. P. Yarushkin 1270 23
Decreasing Ion Cluster Repetition Frequency in an FÉI Cyclotron—N. S. Biryukov, B. V. Zhuravlev, N. N. Krasnov, A. A. Ognev, V. I. Plyaskin, A. A. Ponomarev, and O. A. Sal'nikov 1273 26
Instrument for Measuring and Monitoring the Energies of Particles Accelerated in a Cyclotron—V. Yu. Gonchar, K. S. Zheltonog, G. N. Ivanov, and S. N. Rybin 1278 30
Compensation of the Stray Field of Magnetic Deflectors—P. A. Kireiko and K. N. Shorin 1281 33
Monoenergetic Nature and Stability of the Beam Current in Linear Induction Accelerators—V. K. Grishin 1283 35
Universal Apparatus for Measuring the Parameters of Strong Ion Beams—B. M. Bezverkhov, O. G. Matveenko, and N. V. Pleshivtsev 1286 37
Economical Source of Multiply-Charged Calcium and Zinc Ions—Yu. P. Tret'yakov, L. P. Kul'kina, V. I. Kuznetsov, and A. S. Pasyuk 1290 40
Electrostatic Spectrometer for Beams of Charged Particles—V. V. Zashkvara, M. I. Korsunskii, V. S. Red'kin, and V. P. Lavrov 1295 44
Pulse Pile-Up Monitor for a Precision Pulse-Height Spectrometer with RC Filters —V. A. Antyukhov and B. Yu. Semenov 1297 46
Determination of γ-Ray Energy in a Xenon Bubble Chamber by Means of Integral Cascade Curves—Z. Ogrzeval'skii 1302 51
Some Aspects of the Construction of the 2-m Liquid-Hydrogen Bubble Chamber —A. M. Stepanov 1306 54
Telescope of Spark Chambers with a Magnetic Spectrometer for Polarization Experiments —S. G. Tonapetyan, O. G. Konovalov, A. I. Derebchinskii, A. A. Zybalov, V. A. Gol'dshtein, M. T. Dorofeev, N. V. Goncharov, and V. N. Khvorostyan 1310 58
New Method of Taking Information from Spark Chambers—Yu. A. Karzhavin, A. T. Matyushin, V. T. Matyushin, and M. N. Khachaturyan 1313 60
Effect of a Magnetic Field on the Accuracy with Which Particle Momentum Is Determined in a Streamer or Spark Chamber—M. L. Daion, O. K. Egorov, S. A. Krylov, E. A. Pozharova, V. A. Smirnitskii, and V. A. Chechin 1217 64

Study of a Streamer Chamber Containing Xenon—K. M. Avakyan and É. M. Matevosyan	1322	68
Circuit Parameters of a Spark Chamber with a Decoupled High-Voltage Electrode —L. S. Barabash	1325	71
Variation in the Amount of Silver at the Surface of Microcrystals During the Heating of a Photographic Emulsion—L. E. Potap'eva and V. I. Kalashnikova	1328	73
Effect of Ultraviolet Radiation on Plastic Scintillators with p-Terphenyl—E. N. Matveeva, I. M. Stoletova, and M. D. Shafranov	1332	76
ELECTRONICS AND RADIO ENGINEERING		
Connection of LP4050 Analyzers to the Minsk-22 Computer—Ya. M. Otchik and M. K. Runova	1334	79
Processing of Spectra from Ge-Li-Detectors on Digital Computers (KATOK Program) —V. Gadzhokov	1338	82
Semiautomatic Television Device for Measuring Ionization Losses—Yu. V. Ovsev, G. M. Magonov, A. K. Evseenko, and E. V. Rudenchenko	1342	85
Code-to-Time-Interval Converter Based on Silicon Integral Circuits —L. M. Dykhnenko, N. A. Kryukova, B. V. Mushchinskii, and V. A. Shchegolev	1345	88
Decoders for IN-1 and IN-4 Digital Indicators—V. V. Kostrov and V. N. Kazakov	1347	90
Method of Digital Indication (Display)—V. E. Gadyatskii, V. P. Danil'chenko, I. M. Zolotarevskii, and V. G. Fraiberg	1349	91
Equistepped Voltage Generator Based on Avalanche Transistors with Smoothly Regulated Step Amplitude—V. P. D'yakonov	1352	94
Generator with Digital Output Pulse Frequency Control—B. A. Kotov and R. F. Suramanov	1355	96
Polyfunctional Multivibrator—A. V. Potapov	1357	98
High-Power Current Pulse Generator—O. G. Zagorodnov, L. I. Bolotin, I. I. Magda, N. P. Gadetskii, V. I. Belyaev, and Yu. V. Tkach	1359	100
High Current Subnanosecond Pulse Generator—B. M. Koval'chuk and G. A. Mesyats	1362	102
Apparatus for Obtaining Near-Rectangular Electrospark Ignition Pulses—V. F. Panin and L. K. Parfenov	1366	106
Regulated Shaper Circuit for Rectangular Current Pulses—I. M. Antonov	1369	108
Voltage-Doubler Charging Circuit for a Storage Capacitor—V. M. Vakulenko and L. P. Ivanov	1371	110
Charging a Capacitive Energy Bank from an ac Voltage Supply—V. M. Vakulenko, A. G. Bomko, and L. P. Ivanov	1374	112
Controlled Arc Discharger—I. I. Aksenov, N. G. Baranov, V. I. Slatin, and S. A. Smirnov	1377	114
Small-Scale Semiconductor Timer—K. M. Lekishvili, A. A. Dzidziguri, O. L. Khazaradze, A. Sh. Vezirishvili, and U. G. Marmarashvili	1380	116
Determination of Photomultiplier Gain—V. B. Pakhalov and E. S. Sarkisyan	1383	119
Automatic Bridge for the Measurement of Volt-Ampere Characteristics on Nonlinear Components—Ya. G. Ponomarev and A. V. Rakhmanina	1385	120
Automatic Recording of Variations in the Ultrasonic Absorption Coefficient—V. D. Fil' and E. A. Masalitin	1389	124
Manual Broadband Power Attenuator of rf Signals—S. A. Gavrilyuk, L. M. Dykhnenko, B. V. Mushchinskii, and V. A. Shchegolev	1393	127
A Submillimeter Gas Radiospectroscope with a Quartz Frequency Readout—A. F. Krupnov and L. I. Gershtein	1394	128
Frequency Stabilization of a Wide-Band Submillimeter Backward-Wave Tube—M. V. Moskienko, V. V. Shmidt, S. F. Dyubko, and B. I. Makarenko	1397	131
Investigation of the Magnetic Field Topography without Moving the Data Unit—A. I. Zhernovoi	1399	133
Digital Frequency Stabilization System for the E11-2 Magnetic Field Intensity Meter —L. P. Kolesnikova, A. P. Nekhai, and V. N. Slyusar'	1401	134
Apparatus for Determining the Intensity Components and Spatial Harmonics of a Volume Laplace Field—V. P. Pronin	1404	137

Power Supply System for the 100-cm Liquid Hydrogen Bubble Chamber Electromagnet —B. D. Omel'chenko	1409	142
Thyratron Direct Current Regulator for Series KVTMS-T High Power Circuits—B. L. Omel'chenko	1414	146
GENERAL EXPERIMENTAL TECHNIQUES		
Use of a Viscous Flow for Reducing the Residual Pressure of an Adsorption Pump—B. Z. Kanter	1417	150
Composition of the Residual Gases in the Column of the ÉG-100A Electron-Diffraction Camera —N. N. Bagrov and S. I. Kovalenko	1419	152
Ion-Beam Apparatus—V. L. Komarov, G. A. Nalivaiko, I. I. Razgulyaev, A. I. Solnyshkov, and S. G. Tsepakin	1422	154
Determining the Directionality Pattern of a Molecular Beam during Interference Measurements —N. A. Meshcheryakov	1425	156
Decontamination of Metal Surfaces in Glow Discharge—V. A. Gengrinovich and V. E. Tolkachev	1428	158
High-Frequency Current Modulator for a Photomultiplier—K. A. Gulgazaryan	1430	161
Photomultiplier Cutoff—E. I. Shubnikov, V. I. Markov, and F. M. Subbotin	1434	165
Temperature Characteristics of FÉU-79 Photomultiplier—O. V. Afanas'eva, G. S. Kvater, V. M. Konshin, and E. D. Mishchenko	1437	167
Small-Size Fourier-Spectrometer for the 10-40 μ Spectral Region—M. N. Markov, V. I. Vedernikov, V. V. Ivanov, A. V. Kartashev, and V. S. Petrov	1439	169
Checking the Optical Uniformity of Polymeric Films—G. N. Zhizhin, V. S. Bukreev, and N. I. Bagdanskis	1444	173
Determination of the Ratio of Spectral Emittances at High Temperatures—L. V. Prikhod'ko and Kh. S. Bagdasarov	1446	175
Multislit Disrupted Total Internal Reflection (d.t.i.r.) Attachments for Spectrophotometers —V. M. Zolotarev, Yu. D. Pushkin, and I. V. Peisakhson	1448	176
Cuvette for the SF-14 Spectrophotometer for the Investigation of Diffuse Reflection Spectra at Temperatures of 100-600°K—V. A. Izvozchikov and S.R. Kishmariya	1451	179
Illuminator for Optical Cryogenic Installations—A. M. Maznitsa and I. P. Derbenev	1453	181
Study of a CO_2 Laser with Germanium Brewster Windows—Yu. N. Gromov, V. P. Tychinskii, and N. Sh. Khaikin	1455	182
Characteristics of the F-16 Photoelement—V. I. Krichevskii, V. A. Serbin, T. N. Rabotnova, and V. S. Polyakova	1457	184
Tunable Optical Resonator with Nearly Plane-Parallel Mirrors—V. N. Lugovoi, K. F. Shipilov, and T. A. Shmaonov	1459	186
Device for Continuous Attenuation of a Light Beam—V. K. Dubrovskii, B. F. Mul'chenko, and N. F. Pilipetskii	1461	187
Stroboscopic Method of Recording Fast-Occurring Light Processes on a Photochronograph —V. B. Fedorov and A. A. Sharypin	1463	188
Superconductive Shielded Magnetic Lens—I. I. Goncharenko, I. S. Sidorenko, and G. M. Skoromnyi	1466	191
Hall Probe for Measurements in Nonuniform Magnetic Fields—I. A. Petrushko, V. G. Savenko, and A. P. Shchelkin	1468	193
Hydraulic System for a Booster with Independent Maintenance—V. V. Tarasov and A. P. Grigor'ev	1470	194
Galvanic Method of Hermetically Sealing Copper Ampoules—A. P. Grigor'ev	1472	195
Apparatus for Investigations into Plastic Strain in Vacuum—A. V. Ashukin, I. M. Lyubarskii, and A. A. Guslyakov	1473	196
Use of an X-Ray Analyzer with a Semiconductor Detector for Elemental Analysis —S. A. Baldin, B. G. Egiazarov, L. M. Ioannesyants, and Yu. P. Sel'dyakov	1475	198
Low-Temperature Slow-Electron Diffraction Camera—S. I. Kovalenko, N. S. Grinenko, N. N. Bagrov, A. E. Yanov, and E. I. Indan	1478	201
Point Microphotometer for Measuring Beam Intensities in the Diffraction of Low-Energy Electrons—S. Mruz and S. Kaszczyszyn	1481	204

Temperature-Control Unit for Constant-Rate Heating—A. V. Gromyshev, É. L. Lutsenko, and V. V. Sinitskii 1483 206
Low-Temperature Thermocouple—L. A. Medvedeva, M. P. Orlova, and A. G. Rabin'kin 1485 208
Cryostat for Investigating Cyclotron Resonance Under Single-Axis Compression —Ya. G. Klyava and O. G. Koshelev 1488 210
Cryostat for a Ge(Li) Detector—A. L. Donde and A. N. L'vov 1491 213
Cooled Carbon Bolometer—É. A. Tishchenko 1493 215
Acoustic Contact at Helium Temperatures—V. E. Sorokin and I. I. Perepechko 1496 217
Cryostat and Evaporator for Spectral Studies of Vapors of Low-Volatility Compounds Using the Method of Isolation in a Matrix—V. N. Novikov, P. A. Perov, and A. A. Mal'tsev 1497 218
Gradient-Free Oven for Examining the Mössbauer Effect—I. S. Lyubutin and Yu. S. Vishnyakov 1500 221
Melting Refractory Dielectric Materials by High-Frequency Heating—V. I. Aleksandrov, V. V. Osiko, and V. M. Tatarintsev 1502 222
Temperature Controller for a Discrete-Action Closed Evaporator in a Vacuum Thermal-Sputtering System—A. V. Vul'fson and A. D. Korobov 1505 225
Electronic Thermometer—I. M. Vikulin and V. A. Presnov 1508 228
An Electroluminescent Head for Recording Electrical Signals on a Photographic Film —V. A. Barkov, A. A. Kal'nin, L. M. Kogel', and Yu. M. Tairov 1510 229
Making Hahn Microwave Diodes from GaAs Single Crystals—V. N. Arendar' G. V. Bagrov, A. V. Dyadchenko, and É. D. Prokhorov 1512 230

Production of Surfaces of Complicated Shape by Electropolishing—A. B. Vaganov 1514 232
Improved Semiconductor Circuit for Etching Points—G. N. Freiberg 1516 233
Preparation of Shielded Microconductors—B. V. Strizhov and S. N. Kondrat'ev 1518 234

ABSTRACTS
Use of a Television Receiver for Inputting Graphical Information into Memory with the Aid of a Light Pencil and Outputting It onto a Screen—V. D. Dvornikov, V. A. Rezvov, and L. I. Yudin 1519 235
Control of a Combination Wilson Chamber—Ionization Calorimeter—E. V. Denisov, K. A. Kotel'nikov, A. M. Lebedev, A. E. Morozov, O. F. Ogurtsov, S. A. Slavatinskii, and I. N. Fetisov 1521 236
Operating Voltage Range and Amplitude Resolution of X-Ray Proportional Counters —E. F. Klyukvina 1523 237
Optimum Parameters of NaI and Plastic Scintillators—M. E. Globus 1524 237
Investigation of Chemiphosphorescence in Dioxane Scintillators—M. I. Balonov and A. G. Shaiderov 1526 238
Arrangement for Accurately Measuring Thermal Expansion of Metals at High Temperatures —V. Ya. Chekhovskoi and V. A. Petukhov 1528 239

REVIEWS OF INSTRUMENTS
Determination of MI-1305 Mass Spectrometer D/H Ratio by Using Modulated Accelerating Voltage—L. Matus and J. Opauszki 1529 241
Use of an OAP-5 Radiation Pickup in a Hitachi FIS-21 Spectrometer—V. V. Arkhipov and A. I. Kuznetsov 1531 243
Magnetic Field Intensity Markers for an EPR Spectrometer Recorder—M. A. Ankudinov V. F. Belov, and V. A. Yurin 1534 245
Experimental Device for Studying EPR Under Aniaxial Pressure—Yu. I. Kozlov and E. A. Rodkin . 1535 246
New Device Rotates Crystal Whiskers in Electron Microscope—V. Ya. Fridman 1537 247

NEW INSTRUMENTS 1538 248

Number 6 November-December, 1970

Mechano-Electronic Transducers (Mechanotrons) and Their Use (Review)—G. S. Berlin	1547	5
NUCLEAR EXPERIMENTAL TECHNIQUES		
Ring Accelerator Having a Monoenergetic Beam—D. G. Koshkarev	1555	13
High-Current Pulsed Electron Accelerator—S. P. Bugaev, A. S. El'chaninov, F. Ya. Zagulov, B. M. Koval'chuk, and G. A. Mesyats	1557	15
Variation of the Oscillation Amplitudes of Linear Oscillators During Transistion through Second-Order Resonance—P. R. Zenkevich	1560	18
Short-Circuiting Device of the Resonance Line of a Cyclotron Dee Circuit—N. N. Krasonov and E. N. Alekseev	1564	22
Beam Monitoring by Recording Scattered Particles—E. I. Sirotonin, A. Fiderkevich, K. S. Shishkin, and V. G. Karandashov	1567	22
High-Pressure Gas Target with Nitrogen Cooling—S. P. Denisov, A. N. Nekrasov, D. A. Stoyanova, and V. V. Sytnik	1569	24
Stabilized Spectrometer with a Ge (Li) Detector Using an NTA-512 Analyzer—A. V. Murzin	1575	28
Pion Beam for the ITÉF 2-m Liquid-Hydrogen Bubble Chamber—Yu. D. Aleshin, G. A. Arutyunyants, V. S. Verebryusov, M. M. Kats, V. P. Kulakov, V. I. Moskalev, and B. F. Shvartsman	1578	31
Investigation of Spark Chamber Characteristics in a Magnetic Field—A. V. Aref'ev, Yu. D. Bayukov, V. I. Efremenko, Yu. M. Zaitsev, L. N. Kuleshova, G. A. Leksin, and D. A. Suchkov	1581	34
Determining the Thickness of the Mica Entrance Window of an End Counter from the Scattered Beta Radiation—V. G. Polyukhov, V. D. Gavrilov, Yu. S. Popov, and A. P. Shetverikov	1584	37
Scintillation Counters Employing the Miniature FÉU-60 Photomultiplier—A. A. Derevschikov, A. P. Meshchanin, S. B. Nurushev, V. V. Siksin, and E. V. Smirnov	1587	39
Scintillation Counters Based on the FÉU-49 Photomultiplier with Pulsed Power Supply—V. A. Grishkov, G. M. Kazakevich, and E. M. Filippov	1590	41
ELECTRONICS AND RADIO ENGINEERING		
Use of Medium-Size Computer at Measuring-and-Computation Center—G. M. Bukat, I. A. Kondurov, S. N. Nikolaev, Yu. F. Ryabov, and L. P. Soldatov	1592	43
Bilateral Coupling of PUOS Measuring Microscopes with the Minsk-2 Computer—V. V. Ammosov, P. A. Gorichev, and O. A. Shmelev	1598	49
Mathematical Manipulation of Multiparticle Nuclear Reactions—A. R. Linetskii, E. L. Makarovskii, and N. Ya. Rutkevich	1602	52
Electronic Programmer Having an Operatively Readjustable Program—V. I. Korolenko and A. U. Yalyshev	1606	55
Digital Indication Block of a Contact Code Converter—A. E. Golovin and I. V. Naumov	1609	57
Symbol Generator—V. S. Govorov	1612	60
Digital Analyzer of the Time Interval between Pulses of a Random Process—É. I. Krasovskii, A. I. Kundin, and V. V. Teterin	1615	63
Time-Amplitude Converter for the Nanosecond Range with Preliminary Pulse Selection—V. I. Kryshkin, V. N. Stibunov, and N. P. Fedorov	1617	64
Scaling Network with Commutation of the Reset Threshold—V. A. Avdeev and V. M. Kuznetsov	1620	67
Highly Sensitive Counting System for the Nanosecond Range—V. N. Zubarev, V. I. Ivanov, N. S. Moroz, V. B. Radomanov, and V. S. Stavinskii	1622	68
High-Stability Nanosecond Coincidence Circuit for Slow NaI(Tl) Scintillators—E. K. Bonyushkin, Yu. M. Drozdov, V. V. Spektor, and R. A. Orlov	1626	72
Linear Gates of the Nanosecond Range—L. Ondrish, S. V. Mukhin, S. V. Rikhvitskii, I. N. Semenyushkin, P. Khorvat, and A. N. Khrenov	1630	75
Powerful Pulsed Current Generator—A. P. Baikov, A. M. Iskol'dskii, B. M. Koval'chuk, G. A. Mesyats, Yu. E. Nesterikhin, and V. N. Ponurov	1637	81

Use of a Sign Correlator for Improving the Accuracy with Which Weak Direct Currents Are Measured—L. L. Klyuev, R. G. Khekhnev, and A. N. Zernov	1640	83
Broadband Nanosecond Pulse Generator—Yu. G. Budyashov, Yu. M. Valuev, V. G. Zinov, and B. S. Krasnoborodov	1642	85
Microwave Pulse Generator—V. V. Udalov	1644	88
High-Speed Recirculation Generator Having a Low Relative Frequency Instability —K. N. Bakinovskii, I. A. Malevich, A. F. Chernyavskii, and A. K. Yakushev	1646	89
High-Frequency Two-Channel Pulse Shaper—V. E. Melnik and A. Ya. Drovyannikov	1649	92
Shaping of Heteropolar Pulses with Similar Parameters—L. R. Notkin	1652	95
Pulse Shaper for the Video Channel of a Television Measurement System —A. V. Petrakov, V. A. Klevalin, and B. A. Lebedev	1654	97
Smooth Delay of Pulses by a Magnetic Modulator—L. R. Notkin	1657	99
Compensating for the Effect of the Amplitude Spread of Counter Pulses at the Operating Moment of High-Speed Shapers—V. G. Lapshin, V. I. Rykalin, and Z. Tsisek	1659	101
Automatic Phase Control of a Cyclotron Deflecting Voltage—N. S. Biryukov, B. V. Zhuravlev, V. I. Plaskin, and O. A. Sal'nikov	1664	105
Saw-Tooth Voltage Generator with Automatically Varying Rise Time—Yu. D. Bespyatov, V. P. Golovkov, and Yu. V. Zubritskii	1667	107
Controlled Former of a Linearly Varying Voltage—I. M. Antonov	1669	109
Fast Linear Amplifier—M. N. Drazhev and A. I. Ivanenko	1671	110
Low Noise Preamplifier with an Input Cathode Follower—V. G. Brovchenko, A. E. Voronkov, S. F. Kozlov, and P. A. Kuznetsov	1673	112
Logarithmic Amplifier for Small Currents—Yu. N. Nikolaev and M. N. Titov	1678	116
Electrometer Amplifier with a Surface Voltage-Operated Variable Capacitor—A. V. Zharkov, S. S. Pavlov, Ya. S. Pogulyaevskii, and V. P. Frolov	1681	118
Vacuum-Tube Electrometer with Compensation of Stray Current—V. I. Karlashchuk	1684	120
Precision Integrator of Slowly Varying Signals—L. N. Gal'perin, L. B. Mashkinov, and V. V. Batylin	1686	122
Attachment for Recording Infrasonic Signals of Standard Magnetophones—V. P. Korotkov, V. N. Stasenko, and B. P. Khavin	1690	125
Circuit for Holding the Signal Level—N. A. Rubichev	1693	128
Noise Suppression Device for Ultrasonic Pulse Instruments—N. P. Zorin, Yu. D. Kharizman, B. I. Makhnyuk, L. A. Ushakov, and A. A. Rozov	1694	129
Equipment for Precision Measurements of Time Intervals—V. N. Deryagin, S. S. Barkalov, and V. S. Moiseev	1696	131
Dekatron Two-Time-Interval Setting Device—V. G. Grishin and V. F. Korotkii	1699	133
Fifteen-Beam Oscillograph for Time Measurements—L. I. Andreeva, S. A. Kaidalov, N. N. Lebedev, I. Sh. Model', B. M. Stepanov, V. A. Tsukerman, and V. G. Cherepakhin	1702	136
Automatic Control of a Backward Wave Tube for the Millimeter Range of Wavelengths —A. F. Koval'skii and A. K. Slavkov	1705	139
Phase-Shift Automatic Frequency Control of a Backward Wave Tube in the Millimeter and Submillimeter Ranges—A. F. Krupnov and L. I. Gershtein	1710	143
Measurement of the Refractive Index of Dielectrics in the Submillimeter Range of Wavelengths—Yu. G. Al'tshuler, L. I. Kats, and R. M. Revzin	1712	145
Apparatus for Investigating the Birefringence of Anisotropic Media in the Shortwave Portion of the Millimeter Range—G. V. Kozlov	1714	147
Fabry-Perot Interferometer for the Millimeter and Submillimeter Ranges—Yu. L. Danilyuk, F. A. Koleda, and O. N. Trubitsyna	1717	149
Obtaining a Visible Image of Electromagnetic Radiation—A. P. Bazhulin, E. A. Vinogradov, N. A. Irisova, and S. A. Fridman	1720	152
Magnetic-Field Stabilizer Based on an Industrial E11-2 Meter—V. I. Volkov, A. M. Mazanova, A. P. Nekhai, and V. N. Slyusar	1722	153

	Engl.	Russ.
Improved ÉRA-M-015 Block for Supplying an Electron-Optical Converter—V. A. Mishin	1725	155
Transistor Stabilizer for the Discharge Current of a Gas Laser—I. M. Divil'kovskii, D. V. Kovalevskii, and A. A. Matsveiko	1727	157
Automatic Control of Stability of Heavy-Current Supplies—B. D. Omel'chenko	1730	159
GENERAL EXPERIMENTAL TECHNIQUES		
Calibration of Thermal Vacuum Gauges Using Water Vapor—A. I. Fursov	1733	163
Comparative Single-Electron Characteristics of the FÉU-64 and the FÉU-79—A. N. Pertsev, I. V. Reznikov, and M. N. Suzin	1736	165
Use of Velocity Modulation in Photomultipliers—K. A. Gulgazaryan	1739	167
Delay of a PMT Signal as a Function of the Wavelength of the Light Signal—S. V. Volkov and V. L. Shirokov	1741	168
Possibility of Using the 7ÉLUF PMT in Schemes for Measuring Weak Light Fluxes—L. I. Andreeva, N. S. Gusev, S. A. Kaidalov, I. N. Matveev, and B. M. Stepanov	1743	170
Measurement of the Frequency Characteristics of Photoreceivers—V. A. Voronin, S. A. Kaufman, and N. Sh. Khaikin	1745	172
Multilayer Dielectric Mirror with Piezoelectric Backing for Laser Modulation—V. I. Voronov and Yu. E. Pol'skii	1748	174
Simple Magnetooptical Equipment—A. B. Vaganov and D. B. Diatroptov	1751	177
Light Divider Using a Diffraction Grating and Suitable for Holographic Schemes—M. M. Butusov and Yu. G. Turkevich	1754	179
Automatic Compensation of Interferometer Vibration—V. A. Bazylenko, V. E. Prokopenko, and G. S. Starkov	1756	181
Magnetometer for Measuring Constant and Pulsed Magnetic Fields—M. P. Vasil'ev, A. S. Gorelkin, S. M. Luzhanskii, I. V. Mozin, and V. P. Smirnov	1758	182
Acceleration of Metallic Macroparticles in an Electrostatic Accelerator (ÉG-8)—A. I. Akishin, E. V. Blyudov, S. S. Vasil'ev, V. P. Kiryukhin, M. P. Stanislavskii, L. V. Konanykin, Yu. A. Chernov, and Yu. B. Chernyak	1761	185
Pressure Measurements by Piezoelectric Transducers in the Combustion of Condensed Explosives—V. V. Andreev and L. A. Luk'yanchikov	1764	188
High-Pressure Split-Body Globe Vacuum Valve with Spring-Loaded Needle—E. I. Ponomarenko and N. G. Shmakov	1768	190
Dismountable Microfocusing X-Ray Tube with Magnetic Focusing of the Electron Beam—I. G. Ivanov and E. Z. Ryabinina	1769	191
Highly Sensitive Thermoelectrical X Radiation Microcalorimeter—B. P. Kozyrev and T. Yu. Sheveleva	1772	193
Cleaning Organic Residues from Replicas—V. A. Marikhin and L. P. Myasnikova	1774	196
Determining the Orientation of Single-Crystal Films by Means of Channeling Patterns—V. V. Skvortsov and I. N. Bogdanovskaya	1778	197
Determination of the Mobility and Concentration of Charge Carriers in the Surface Channels of Semiconductors by the Hall-Current Method—V. N. Dobrovol'skii, Yu. S. Zharkikh, and V. P. Pashkov	1779	199
Capacitive Differential Probe for Measuring Electrical Field Distribution in Semiconductors—V. L. Shushkevich and L. L. Lyuze	1782	201
Nonrectifying Contacts to Gallium Arsenide Produced by Ion Intrusion—V. P. Belevskii, V. N. Ivanov, and V. M. Yashnik	1784	203
Use of a Transport Helium Dewar for a Submillimeter-Range Pickup with an n-InSb Detector—N. G. Afonchenkov, A. N. Vystavkin, V. N. Listvin, and A. D. Morenkov	1786	204
Extrusion of Metals at 77-4.2°K—L. A. Gindin, S. F. Kravchenko, and Ya. D. Starodubov	1788	206
Rolling and Extension of Metals at 4.2°K—I. A. Gindin, S. F. Kravchenko, Ya. D. Starodubov, and V. M. Matsevityi	1790	207
Dewar Flask for Liquid Helium—Ya. S. Kan	1792	209

Preparation of Narrow Superconducting Bridges—F. Ya. Nad' and O. Yu. Polyanskii 1794 210
New Device Transfers Motion in Vacuum Systems—V. B. Kornilov and L. V. Ikonitskii 1796 212
General-Purpose Ultrahigh-Vacuum Crystal Holder—V. M. Artemov and D. V. Iremashvili ... 1797 212
Growing Thin Metal Single Crystals—Yu. F. Revenko and G. A. Zaitsev 1799 214
Beryllium Soldering—S. I. Grinyuk and V. A. Pogorelyi 1800 215

ABSTRACTS
Sensitivity of a Gauss Quantum Meter and a Wilson Quantum Meter in the Energy Range from 1 to 4.75 GeV—S. P. Kryglov, L. V. Lopatin, E. A. Filimonov, M. A. Martirosyan, S. G. Vartanyan, and G. A. Arekelyan 1801 216
System of Nanosecond High-Speed Electronic Modules with a Speed of Response of 100 MHz—V. F. Chechetenko, Yu. P. Antuf'ev, and P. V. Sorokin 1803 217
Precision dc Stabilizer—L. P. Kolobaev and S. V. Kulikov 1805 218
Low-Pressure Spark Gap Switch with Hollow Pilot Electrode—I. I. Aksenov, V. A. Belous, and S. A. Smirnov 1806 218
Bakable High-Vacuum Flanged Joints—A. V. Balitskii and L. A. Filatovskii 1808 219
Sectionalized Flanges for Large High-Vacuum Joints—A. V. Balitskii, L. A. Filatovskii, and A. S. Shuvalov 1810 220
Measurement of Molecular Streams in a Cryogenic Vacuum System—V. T. Grinchenko 1812 221
Heat-Stable Transistorized Amplifier with High Input Impedance—R. M. Mirsalimov and T. A. Gasanov 1814 222

REVIEWS OF INSTRUMENTS
Ion Source for the MI-1305 Mass Spectrometer—L. A. Rat'kovskii, B. A. Butylin, and G. I. Novikov 1815 223
NEW INSTRUMENTS 1817 225

ss.

210
212
212
214
215

216

217
218

218
219

220
221

222

223
225